

SELLER'S PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between the Seller and any buyer. The Seller authorizes the Listing Broker in this transaction to disclose the information in this statement to other real estate licensees and to prospective buyers of this property. The Seller agrees to notify the Listing Broker promptly of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

NOTE: DO NOT LEAVE ANY QUESTIONS BLANK. WRITE N/A (NOT APPLICABLE) OR UNKNOWN IF NEEDED.

PROPERTY LOCATED AT: 151 Highland Avenue, Gardiner, ME

SECTION I. WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?
Pump: Yes No N/A Quantity: _____ Yes No Unknown
Quality: Yes No Unknown

If YES to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? _____ Yes No
IF YES: Date of most recent test: _____ Are test results available? _____ Yes No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
IF YES, are test results available? _____ Yes No
What steps were taken to remedy the problem? _____

• IF PRIVATE:

INSTALLATION: Location: _____
Installed BY: _____ DATE of Installation: _____
What is the source of your information: _____
USE: Number of Persons currently using system? _____
Does system supply water for more than one household? _____ Yes No Unknown

COMMENTS: n/a

SECTION II. WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

• IF PUBLIC OR QUASI-PUBLIC:

Have you experienced any problems such as line or other malfunctions? _____ Yes No
What steps were taken to remedy the problem? n/a

• IF PRIVATE:

TANK: Septic Tank Holding Tank Cesspool Other: _____
Tank Size: 500 Gal. 1000 Gal. Unknown Other: _____
Tank Type: Concrete Metal Unknown Other: _____
Location: _____ OR Unknown Date of Installation: _____
Date of Last Servicing: _____ Name of Company Servicing Tank: _____
Date Last Pumped: _____ Have you experienced any malfunctions? _____ Yes No
If yes, give the date and describe the problem: _____

LEACH FIELD: _____ Yes No Unknown
IF YES: Location: _____
Date of installation of leach field: _____ Installed By: _____
Date of Last Servicing: _____ Name of Service Company: _____
Have you experienced any malfunctions? _____ Yes No
If yes, give the date and describe the problem & what steps were taken to remedy: _____

Does Seller have records of the septic system design indicating the number of bedrooms the system was designed for? _____ Yes No
IF YES, is it available? _____

SOURCE OF INFORMATION: _____

COMMENTS: _____

IS SYSTEM LOCATED IN A SHORELAND ZONE?: _____ Yes No Unknown

Is System located in a Coastal Shoreland Zone? _____ Yes No Unknown

8/2008

Page 1 of 3 - SPD Buyer(s) Initials _____

Seller(s) Initials JA

SECTION III. HEATING SYSTEM(S)/SOURCE(S)

Heating System(s)/Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S)	HWBB			
Age of system(s)/source(s)	1993 +/-			
Name of company that services system(s)/source(s)	Williams Oil			
Date of most recent service call	Sept 2008 approx			
Annual consumption per system/source (i.e., gallons, kilowatt hours, cord(s))	Williams Oil			
Malfunction per system(s)/source(s) within past 2 years	none known			
Other pertinent information	n/a			

Buried Oil Supply Line: Yes No Unknown Sleeced: Yes No
 Chimney(s) Lined: Yes No Unknown Age: unknown Last Cleaned: unknown
 Is more than one heat source vented through one flue? Yes No Unknown Had a chimney fire: Yes No Unknown
 Has chimney been inspected? Yes No Unknown; If Yes, when: _____
 COMMENTS: _____

SECTION IV. HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Current or previously existing:
 Are there now, or have there ever been, any underground storage tanks on your property? Yes No Unknown
 IF YES: Are tanks in current use? Yes No
 IF NO above: How long have tank(s) been out of service? _____
 What materials are, or were, stored in the tank(s)? _____
 Age of tank(s): _____ Size of tank(s): _____
 Location: _____
 Have you experienced any problems such as leakage? _____
 Are tanks registered with the Dept. of Environmental Protection? Yes No Unknown
 If tanks are no longer in use, have tanks been abandoned according to D.E.P.? Yes No Unknown
 Comments: unknown

B. ASBESTOS - Current or previously existing:
 • as insulation on the heating system pipes or duct work? Yes No Unknown
 • in the siding? Yes No Unknown • in the roofing shingles? Yes No Unknown
 • in flooring tiles? Yes No Unknown • other: _____ Yes No Unknown
 IF YES: Source of Information: seller
 COMMENTS: _____

C. RADON/AIR - Current or previously existing:
 Has the property been tested? Yes No Unknown
 IF YES: Date: 06/07 By: _____
 Results: within guidelines If applicable, What remedial steps were taken? n/a
 Has the property been tested since remedial steps? Yes No Unknown
 Are test results available? Yes No Results & Comments: satisfactory results

D. RADON/WATER - Current or previously existing:
 Has the property been tested? Yes No Unknown
 IF YES: Date: n/a By: unknown
 Results: _____ If applicable, What remedial steps were taken? _____
 Has the property been tested since remedial steps? Yes No Unknown
 Are test results available? Yes No Results & Comments: never tested

E. LEAD-BASED PAINT/PAINT HAZARDS - Current or previously existing: (Note: Lead-based paint is most commonly found in homes constructed prior to 1978; See EPA Disclosure brochure/form and Maine Lead Warning for more information)
 Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? Yes No Unknown
 Unknown but possible due to age
 IF YES, describe location and the basis for the determination: _____
 Do you know of any records or reports pertaining to such lead-based paint or lead-based paint hazards: Yes No
 IF YES, describe: _____

Are you aware of any cracking, peeling or flaking paint? Yes No
 COMMENTS: inside and outside

PROPERTY LOCATED AT 151 Highland Avenue, Gardiner, ME

F. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: Yes No Unknown OTHER: n/a
LAND FILL: Yes No Unknown
RADIOACTIVE MATERIAL: Yes No Unknown

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V. GENERAL INFORMATION

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private road/homeowner associations or restrictive covenants? Yes No Unknown

IF YES: Explain: n/a

What is your source of information: deed and seller

Are there any tax exemption or reduction for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront? Yes No Unknown

IF YES: Explain: _____

• Leased Equipment (e.g., propane tank, hot water heater, satellite dish): Type: n/a

• Year Built: 1950 How long has Seller owned it: 1986

• Roof: Year Built - Structure: 1950 Age - Shingles: unknown

Moisture or leakage: yes, but prior to new roof

Comments: metal roof in rear, shingle in front

• Foundation/Basement: Sump Pump: Yes No Unknown Comments: 2 sump pumps

Moisture or leakage since you owned the property: Yes No Unknown Comments: none known

Knowledge of prior moisture or leakage: Yes No Unknown Comments: none known

• Mold: Has the property ever been tested for mold? Yes No Unknown If YES, are test results available? Yes No

• Electrical: Fuses Circuit Breaker Other: _____ Unknown

• Has the property been surveyed? Yes No Unknown If YES, is the survey available? Yes No

• Manufactured Housing: Mobile Home - Yes No Modular: Yes No

• KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: hole in kitchen cupboard, some water stains from old leaks, some trim needs to be replaced.

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

SECTION VI. ADDITIONAL INFORMATION

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

Susan Hedden
SELLER

DATE

SELLER

DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

DATE

BUYER

DATE





Fact Sheet: Arsenic Treated Wood

Department of Health and
Human Services
11 State House Station
Augusta, ME 04333

Maine CDC
Environmental and
Occupational Health Program
Toll Free in Maine: 866-292-3474
Fax: 207-287-3981
TTY: 207-287-8066
Email: ehu@maine.gov

IF YOU WORK WITH CCA WOOD

- NEVER burn CCA wood.
- Wear gloves when handling CCA wood
- Wear a dust mask when sanding or cutting CCA wood
- Don't work with CCA wood in an enclosed area (like a garage)

Apply a coating to seal the wood every 1-2 years

Does Your New Home Have Arsenic (CCA) Treated Wood?

About half of all Maine homes have a deck, or playground or some other structure that is made of wood treated with arsenic. This wood is called "CCA pressure-treated wood" or just "pressure-treated" wood. The wood was treated with arsenic to protect against rot and insects.

Too much arsenic can cause cancer. So it is good to prevent arsenic getting into your body when you can. When you touch wood treated with arsenic, you can get arsenic on your hands. The arsenic on your hands can get into your mouth if you are not careful about washing before eating. Young children are most at risk because they are more likely to put their hands in their mouths. The good news is that there are simple things you can do to protect yourself and your family from arsenic treated wood. This fact sheet will tell you how.



Children touching unsealed treated wood, and then putting their hands in their mouths is the biggest concern.

TO LEARN MORE

Eric Frohberg
Environmental and
Occupational Health
Program
Maine CDC
Toll-free in Maine 866-
292-3474
TTY: 207-287-8066
www.maine.gov/dhhs/
eohp

First: Does your house have arsenic treated (CCA) wood?

When arsenic treated wood is new, it tends to have a greenish tint. When CCA wood is older, it is harder to tell. Ask your realtor if the seller knows whether CCA wood was used. You can also test the wood to find out if it contains arsenic. Call us to find out how.

Second: If so, reduce contact with the arsenic.

You can lower the amount of arsenic on the surface of the wood by applying a coating on the wood every 1-2 years. Oil-based sealants, varnishes, or polyurethane work best for sealing arsenic in the wood. Be sure to wash your children's hands when they finish playing on or near CCA wood.

Third: If you have any questions, call us toll-free in Maine: 866-292-3474

Common Questions

What is CCA wood?

CCA wood is made by dipping the wood in a mixture of chemicals. These chemicals include chromium, copper, and arsenic. This protects the wood against insects and rot. This wood is known as CCA wood or "pressure treated" wood. Most pressure treated wood in the U.S. is CCA wood. After December 31, 2003, no more CCA wood will be made for use around homes. CCA wood may still be sold for home use until April 1, 2004 in the state of Maine.

What is Arsenic?

Arsenic is found in soil and rocks. Most people get a little arsenic every day from the food they eat. Also, some people have arsenic in their private wells, which is why it is important that anyone with a well have it tested for arsenic. People who are exposed to too much arsenic over many years are more likely to get cancer.

Residential Real Property Disclosure Statement

MAINE WARNING: LEAD-BASED PAINT HAZARDS

Any residence built before 1978 may contain lead sufficient to poison children and sometimes adults. LEAD poisoning poses a particular risk if you are pregnant or may become pregnant. LEAD poisoning in young children may produce permanent neurological damage, including learning disabilities, a reduced intelligence quotient (IQ), impaired memory and behavioral problems such as attention deficit hyperactive disorder and a propensity for violence.

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. The seller of any interest in real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

The only way to know with certainty whether lead-based paint hazards are present on the property is to test the property for the presence of lead.

Acknowledgement of State Disclosure Statement.

The signature below acknowledges that the seller or potential seller has disclosed to me information about lead-based paint hazards as required by 22 M.R.S.A. Section 1328. This acknowledgement does not constitute a waiver of any rights.

Seller or potential seller



Signature Date

Susan Glidden

Name printed

Signature Date

Name printed

Purchaser or potential purchaser

Signature Date

Name printed

Signature Date

Name printed

**Acknowledgement of federal disclosure of information
on Lead-Based Paint and/or Lead-Based Paint Hazards**

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

(a) Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):

(i) _____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

(ii) ~~_____~~ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the seller (check (i) or (ii) below):

(i) _____ Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

(ii) ~~_____~~ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Purchaser's Acknowledgement (initial)

(c) _____ Purchaser has received copies of all information listed above.

(d) _____ Purchaser has received the pamphlet *Protect Your Family from Lead in Your Home*

(e) Purchaser has (check (i) or (ii) below):

(i) _____ received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

(ii) _____ waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgement (initial)

(f) AMC Agent has informed the seller of the seller's obligations under 42 U.S.C.4852d and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Susan Glidden
Seller _____ Date _____
Susan Glidden

Seller _____ Date _____

Purchaser _____ Date _____

Purchaser _____ Date _____

Amy MacDonald 9/16/09
Agent _____ Date _____
Amy MacDonald

Agent _____ Date _____

This form is provided in connection with the PROPERTY LOCATED AT
151 Highland Avenue, Gardiner, ME

BOOK 2957 PAGE 338

WARRANTY DEED
Joint Tenancy

Know all Men by these Presents,

10114

That We, Frederick S. Newcombe and Evelyn B. Newcombe,
both of Gardiner, in the County of Kennebec and State of Maine,

in consideration of one dollar and other valuable considerations,

paid by Robert G. Brown and Mary E. Brown, both of Wolfeboro,
in the County of Carroll and State of New Hampshire,

whose mailing address is

**TRANSFER
TAX
PAID**

the receipt whereof WE do hereby acknowledge, do hereby give, grant, bargain, sell and
convey unto the said Robert G. Brown and Mary E. Brown

as joint tenants and not as tenants in common, their heirs and assigns forever, a certain lot
or parcel of land with the buildings thereon, situated in
Gardiner, in the County of Kennebec and State of Maine, and
bounded and described as follows, viz:

Commencing at the point of intersection of the Easterly line
of Plaisted Street with the Northerly line of Highland Avenue;
Thence running in an Easterly direction along the Northerly
line of Highland Avenue a distance of one hundred and thirty
(130) feet; Thence running in a Northerly direction a distance
of forty-eight (48) feet, more or less, to the Southeast corner
of land of Cecil Patterson; Thence running in a Westerly
direction and along the Southerly line of land of the said
Cecil Patterson to Plaisted Street; Thence running in a Southerly
direction and along the Easterly line of Plaisted Street to
the point of beginning.

Being the same premises conveyed to Frederick S. Newcombe
and Evelyn B. Newcombe by Quitclaim Deed of Frederick S. Newcombe
dated March 22, 1983 and recorded in the Kennebec County
Registry of Deeds in Book 2550, Page 184.

To have and to hold the aforegranted and bargained premises, with all the privileges and appurtenances thereof, to the said Robert G. Brown and Mary B. Brown

as joint tenants and not as tenants in common, their heirs and assigns, to their own use and behoof forever.

And we do warrant with the said Grantees, their heirs and assigns, that we are lawfully seized in fee of the premises, that they are free of all encumbrances

that we have good right to sell and convey the same to the said Grantees to hold as aforesaid; and that we and our heirs shall and will warrant and defend the same to the said Grantees, their heirs and assigns forever, against the lawful claims and demands of all persons.

In Witness Whereof, We, the said Frederick S. Newcombe and Evelyn B. Newcombe, husband and wife,

REC-2957 PAGE 339

WITNESSES

as Grantor and relinquishing and conveying all rights by descent and all other rights to the above described premises, have hereunto set our hands and seals this 30th day of the month of May, A.D. 1986.

Signed, Sealed and Delivered in presence of

Lewis B. Small, Jr. D. Both

Frederick S. Newcombe FREDERICK S. NEWCOMBE Evelyn B. Newcombe EVELYN B. NEWCOMBE

State of Maine, County of Kennebec, ss. May 30, 1986.

Then personally appeared the above named Frederick S. Newcombe and Evelyn B. Newcombe

and acknowledged the foregoing instrument to be their free act and deed.

Before me,

Lewis B. Small, Jr. Notary Public

LEWIS B. SMALL, JR. My Commission Expires July 6, 1988

Printed Name, _____



RECEIVED KENNEBEC SS. 1986 JUN -3 AM 9:00 RECORDED FROM ORIGINAL

